



FAN PRODUCT CATALOGUE 2024



Beacon
INTERNATIONAL

Beacon
LIGHTING

www.beacontinternational.com
www.beaconlighting-europe.com



ABOUT BEACON INTERNATIONAL

Beacon International is considered one of the brightest lights in the international lighting and ceiling fan industry. As part of the renowned Beacon Lighting group, who has been Australia's largest lighting retailer for over 50 years, we have an unparalleled pedigree when it comes to offering superior quality products and service. Our global network gives us greater design experience and knowledge of the latest technology, earning us a reputation as innovators in lighting design and energy efficient solutions. With steady and continual growth, an ever-expanding product range and lighting representatives who are the leaders in their field, we are justifiably proud of what we stand for and the journey to get where we are today. Beacon International offers you an extensive range of exciting, innovative, well-designed products that are proven strong sellers.

We provide:

- Product development
- Competitive pricing
- Easier sourcing solutions
- Low M.O.Q.s and fast delivery
- Access to high quality marketing and promotional material including an extensive library of lifestyle images as shown on the pages.

BEACON INTERNATIONAL DIVISIONS

Beacon International Ltd

Hong Kong Head Office:
Room 05, 18/F, Kimberland Center, 55 Wing Hong Street, Cheung Sha Wan Kowloon, Hong Kong
Tel +852 34915904 Fax +852 34915917
info@beaconinternational.com
www.beaconinternational.com

Beacon Lighting Solutions (Zhongshan) Co. Ltd

China showroom / Office:
11/FI, Guzhen Lighting Building B, Mid Zhongxing Road, Guzhen, Zhongshan, GuangDong, China
Tel: +86 760 8986 6388 Fax: +86 760 8986 6380

Beacon Lighting Europe GmbH

Campus Fichtenhain 42, 47807 Krefeld, Germany
Tel +49 (2151) 325 82 39 Fax +49 (2151) 325 70 65
sales@beaconlighting.eu
www.beaconlighting.eu

Beacon Lighting America Inc.

501 W Broadway, Suite 800, San Diego, California, 92101, United States
Tel +1 (949) 800-8488 Fax +1 (949) 409-8686
sales@beaconlighting.us
www.beaconlighting.us

OUR BRANDS



Fanaway is a revolutionary Australian design that has taken the world by storm. With one flick of the switch, Fanaway transforms from a sleek sophisticated, pendant light into an energy efficient ceiling fan. The secret lies in Fanaway’s unique retractable blade technology. Turning the fan on creates a centrifugal force which deploys the distinctive blades to circulate air within a room. Switch it off, and the fan blades automatically retract and conceal, creating a clutter-free overhead environment. Hidden away, the blades accumulate less dust and offer an unobtrusive design aesthetic. Using superior quality materials and finishes, Fanaway sets a totally unique standard in form and function.

Awards

- Home Beautiful Product of the Year Awards 2008, Finalist
- Best Homewares & Kitchen Product or Range, Finalist - Home/Lifestyle, The Gift Awards 2008
- Most innovative Product or Service, Finalist - Conscience & Creativity, The Gift Awards 2008
- Best Homewares & Kitchen Product or Range, Finalist-Australian Designed and/or Manufactured, The Gift Awards 2008
- Finalist, Next [Big Thing] Award 2008
- Interior Design Awards 2008, Finalist



Lucci Air

Lucci air is well known for it’s great quality, with a heavy focus on technology and product development. The Lucci brand offers the latest on-trend designs, sourced from around the globe, to suit every style of home. The range offers great value with options for every budget.

Awards

- Good Design Awards 2023
- Finder Retail Awards Winner- The best rated fan brand 2019



The Bayside fan range has been developed to be simple in design with a focus on energy efficiency. Constructed from high quality materials, Bayside fans are suitable for both indoor and outdoor applications.



FANAWAY PATENTS AND DESIGNS

Country/Region	Official No	Title
Retractable fan (planetary gears)		
Australia	2006269825	Combined light fitting and ceiling fan
European Community	Country/Region	Combined light fitting and ceiling fan
China	Country/Region	Combined light fitting and ceiling fan
United States of America		Combined light fitting and ceiling fan
Hong Kong		Combined light fitting and ceiling fan
Singapore		Combined light fitting and ceiling fan
Retractable fan (retracting blades)		
Patent Cooperation Treaty		Combined light fitting and ceiling fan
European Patent Office	8877118.3	Combined ceiling fan and light fitting
United States of America	8790085, 9255584	Combined ceiling fan and light fitting
Malaysia	MY-145779-A	Combined light fitting and ceiling fan
China	ZL200880131045.5	Combined light fitting and ceiling fan
Singapore	168397, 177949, 177950	Combined light fitting and ceiling fan
Hong Kong	HK1161340	Combined light fitting and ceiling fan
Australia	2008905097	Improved combined ceiling fan and light fitting
Australia	2008362348	Improved combined ceiling fan and light fitting
Australia	2012201780	Improved combined ceiling fan and light fitting
Australia	2013203412	Improved combined ceiling fan and light fitting
Australia	2015202556	Improved combined ceiling fan and light fitting
Australia	2017210655	Improved combined ceiling fan and light fitting
Australia	2019232851	Improved combined ceiling fan and light fitting
Australia	2021269441	Improved combined ceiling fan and light fitting
Macao	J/001662	Combined light fitting and ceiling fan
European Community	2329188	Combined light fitting and ceiling fan
Retractable fan design		
United States of America	D631955	Combined light fitting and ceiling fan
European Community	001062764-0002	Combined light fitting and ceiling fan
European Community	001062764-0001	Combined light fitting and ceiling fan
European Community	1062764	Combined light fitting and ceiling fan
United Kingdom	90010627640002	Combined light fitting and ceiling fan
United Kingdom	90010627640001	Combined light fitting and ceiling fan
Retractable fan motorised mounting plate		
European Patent Office	2400158	Ceiling fan
France	2400158	Ceiling fan
Germany	2400158	Ceiling fan
United Kingdom	2400158	Ceiling fan
Hong Kong	HK1160906	Ceiling fan
Malaysia	MY-152665-A	Ceiling fan
Singapore	177048	Ceiling fan
Thailand	1101000912	Ceiling fan
United States of America	8851841	Ceiling fan

FAN FACTS

HOW TO CHOOSE THE RIGHT FAN FOR YOUR SPACE

All our fans fall into one of three categories based on their suitability for different locations. These categories are identified by these three symbols.



Suitable for indoor use only.



Suitable for indoor and alfresco areas, provided the fan is undercover with a minimum of 2 walls. Fan must be positioned in a location protected from water, wind, dust and salt.




Suitable for indoor, alfresco and coastal areas, provided the fan is undercover with a minimum of 1 wall. Fan must be positioned in a location protected from water, wind and dust.

WANT MORE AIR FLOW FOR LESS? CHOOSE A DC FAN



Direct current (DC) powered ceiling fans use **UP TO 65% LESS ENERGY** than those with an AC motor, yet still provide high airflow and operate silently.*

HOW TO FIND THE PERFECT FAN



IF MY ROOM SIZE IS LARGE
6m x 6m or more choose a
132cm fan or above

For rooms with ceiling heights that are higher than 3m, we recommend the use of an extension rod.

IF MY ROOM SIZE IS SMALL TO MEDIUM
4m x 5m or less choose a
122cm fan or above

For rooms with ceiling heights of 2.4m – 2.5m we recommend our close to ceiling (CTC) fans.

5 FUN FACTS

1

Most ceiling fans use less power than a 60 watt light bulb – which costs about 1c per hour to run.*

RUN A FAN FOR AS LITTLE AS 1C PER HOUR*

2

Air conditioners run at 2000+ watts on average but when you run it in conjunction with a ceiling fan you can reduce your air-conditioning power costs by up to 40%.*

SAVE UP TO 40% OFF YOUR A.C. POWER COSTS.*

3

Most Beacon Lighting fans are reversible, meaning they can be changed from ‘summer mode’ to ‘winter mode’ at the flick of a switch. Winter mode changes the blade direction to clockwise, pushing warm air against the ceiling and down the walls, proven to reduce heating costs by up to 10%.*

SAVE UP TO 10% OFF YOUR HEATING COSTS.*

4

Beacon Lighting offers a 5 year in-home warranty on parts on all our fans.*

5 YEAR WARRANTY ON OUR FANS.*

5

You’ll feel up to 8°C cooler from your ceiling fan’s cool breeze.*

FEEL 8°C COOLER WITH A FAN.*

CEILING FAN TIPS



SAVE MONEY, SAVE ENERGY

Ceiling fans keep you cooler in summer and warmer in winter using about as much power as a 60-watt light bulb, which costs only 1c per hour to run. Choose a fan with a DC motor, which uses 65% less energy than standard AC fans, and you’ll reduce running costs to as little as 1c per hour.



CEILING FANS IN SUMMER

While a ceiling fan does not necessarily lower the temperature, it does make the room feel cooler by providing a circulatory breeze. Effective circulation can make you feel up to 8 degrees cooler and reduce air conditioning bills by up to 40%.



CEILING FANS IN WINTER

In the winter months, you should run your ceiling fan in the reverse mode as long as the ceiling height is below 3m. This pushes warm air up against the ceiling and then down the walls, gently re-circulating warm air through the room. This technique has been proven to lower heating costs by as much as 10%.* For ceilings higher than 3m using the summer mode will push the rising heat down and also helps to reduce heating costs.



FAN SIZE RECOMMENDATIONS

Room Size		Fan Size	
ft²	m²	Inch	cm
75 - 144	7 - 13	36 - 42	91 - 106
145 - 225	13 - 21	48	122
225 - 400	21 - 37	50 - 56	127 - 142
Above 400	37	60	152

Large Rooms – Living, family or master bedrooms need a fan with a blade size of 132cm or larger to generate enough air flow. A small fan in a large room can make a space look unbalanced whereas a large fan can look overpowering in a small room.

Medium to Small rooms – For kitchens, dining rooms or kids bedrooms and offices you should choose a fan with a blade size of 122cm or smaller.

*The calculations on costs and savings are approximate only and may vary according to fan size and use of fan and the electricity provider.

CEILING FAN TIPS

CEILING HEIGHT

If you have high ceilings above the standard 2.4 meters, you may require an extension rod. Nearly all Beacon Lighting fans come with a ball canopy fixing method to the ceiling which means fans can be mounted on cathedral ceiling or flat ceilings. For all Beacon Lighting ceiling fans with ball canopy fixing you can order an optional extension rod, standard size is 90 cm, you can easily cut them to suit your requirements.

RECOMMENDED INSTALLATION HEIGHT

Any ceiling fan should be at least 2.1 meters (in Europe 2.3 m) from the floor to the blades of the fan and at least 30cm from the nearest wall.

ADDITIONAL SOURCE OF LIGHTING

If your fan will be replacing the main source of lighting in a room you will need to purchase a fan that has an integrated light fitting. Alternatively, most Beacon Lighting fans are light adaptable, so you can still retain your light source.

REMOTE CONTROLS

Have the convenience of being able to control the light and action of your fan from a remote control. Most Beacon Lighting fans can be installed with a receiver which means that when installing a fan into an existing light point there is no need to run an extra wire to control the fan, as the remote does everything for you. Additional wiring will still be required for an isolation switch which is mandatory for all fans.





ABOUT BEACON INTERNATIONAL 3

OUR BRANDS 4 - 5

FAN FACTS 6

CEILING FAN TIPS 7 - 8

LUCCI AIR

AKMANI 13

ARIA 14

ARIA CTC 17

ARRAY 18

ATLANTA + ATLANTA II 21

BALI 23

BRONX 25

CAROLINA 27

CESSNA 29

CLIMATE 30

CLIMATE II 33

CLIMATE IV 35

CONDOR 37

FIJIAN II 38

FLUSSO 39

FRASER 40

LINE 42

LONDO 43

LOUISEVILLE 44

MONZA 47

MOONAH 49

MOTO 50

NAUTICA 53

PEREGRINE 54

POLIS 57

RADAR 59

RIVIERA 60

SLIPSTREAM 61

SYROS 62

UNIONE 63

VECTOR 64

WHITEHAVEN 65

FANAWAY

CLASSIC 67

CORBELLE 68

EVO1 LED 71

EVO2 72

FRASER 75

INDUSTRI 76

MONTCLAIR 79

ORBIT 80

VEIL 83

BAYSIDE

CALYPSO 85

LAGOON 86

MEGARA 89

NAUTILUS 90

LUCCI CONNECT WIFI REMOTE 93

LUCCI TOUCH FAN REMOTE 94

GX53 LED BULBS and LIGHT KITS 95

BREEZE TABLE FAN 96

BREEZE FLOOR FAN 97

BREEZE PEDESTAL FAN 98

BREEZE WALL FAN 101

SANSO 102

VOLUME AIR PURIFIER H13 105

MAXI AIR PURIFIER H13 106

SPECIFICATIONS 108 - 111



SKU 210506
Brushed Chrome
With Teak Blades

SKU 210508
Black

SKU 210507
Oil Rubbed Bronze
With Koa Blades


FAN SPECS

- Fan Size 152cm/60inch
- Fan Material Metal
- Blade Material Solid Wood (Paulownia)
- Motor Size D153 X 15mm
- Speeds 6 Speed (Summer/Winter)
- Light See Light-Kits
- Operated by Remote Control
- Airflow 223m³/min
- Motor Wattage Min./Max 3W/37W
- Ceiling pitch (Deg) 15
- Certification CE&CB by IEC
- Sound Pressure Level db (A) H/M/L 32/21/18


EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210555 Brushed Chrome
- 210583 Oil Rubbed Bronze
- 210559 Black

LIGHT-KITS (OPTIONAL)



LucciAR



FAN SPECS 212994 / 212998

- Fan Size 122cm/48inch
- Fan Material ABS Plastic
- Blade Material ABS Plastic
- Motor Size D153 X 15mm
- Speeds 3 Speed (Summer/Winter)
- Light 1x LED, MAX. 18W, 3000K, 1100lm, -step-dimmable
- Operated by IR Remote
- Airflow 156m³/min
- Motor Wattage Min./Max 15W/43W
- Ceiling pitch (Deg) 15
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 35/27/20

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210559 Black
- 210575 White

FAN SPECS 212991

- Fan Size 122cm/48inch
- Fan Material ABS Plastic
- Blade Material ABS Plastic
- Motor Size D153 X 15mm
- Speeds 3 Speed (Summer/Winter)
- Light N/A
- Operated by Wall Control (Remote Control optional)
- Airflow 156m³/min
- Motor Wattage Min./Max 15W/43W
- Ceiling pitch (Deg) 15
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 35/27/20



IR remote control with timer function included



ARIA CTC



SKU 212999
Matte White



SKU 213001
Matte White



SKU 213000
Matte Black



SKU 213002
Matte Black

FAN SPECS 212999 & 213000

- Fan Size 122cm/48inch
- Fan Material ABS Plastic
- Blade Material ABS Plastic
- Motor Size D155 X 15mm
- Speeds 3 Speed (Summer/Winter)
- Light N/A
- Operated by Remote Control 210012
- Airflow 156m³/min
- Motor Wattage Min./Max 14W/45W
- Ceiling pitch (Deg) N/A
- Extension down rod N/A
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 35/30/21

FAN SPECS 213001 & 213002

- Fan Size 122cm/48inch
- Fan Material ABS Plastic
- Blade Material ABS Plastic
- Motor Size D155 X 15mm
- Speeds 3 Speed (Summer/Winter)
- Light 1x LED, MAX. 18W, 3000K, 1100lm, 3-step-dimmable
- Operated by Remote Control 210012
- Airflow 156m³/min
- Motor Wattage Min./Max 16W/46W
- Ceiling pitch (Deg) N/A
- Extension down rod N/A
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 35/30/21



LucciAR



SKU 21610649
White



SKU 21610749
Black



Optional bottom cap included



LucciAIR

- FAN SPECS**
- Fan Size 137cm/54inch
 - Fan Material ABS Plastic
 - Blade Material ABS Plastic
 - Motor Size D94 X 33mm
 - Speeds 6 Speed (Summer/Winter)
 - Light 1 x GX53 LED bulb included, 128MM, 12W, 3000K, 1200lm, 3-step-dimmable (SKU 121363)
 - Operated by Remote Control
 - Airflow 155m³/min
 - Motor Wattage Min./Max 4w/35W
 - Ceiling pitch (Deg) N/A
 - Certification CE by Waltek
CB by CPC





ATLANTA + ATLANTA II



SKU 213182
White



SKU 21610849
White



SKU 213183
Matte Black



SKU 21610949
Matte Black



Optional bottom cap included

FAN SPECS 213182 / 213183

- Fan Size** 142cm/56inch
- Fan Material** Metal
- Blade Material** ABS Plastic
- Motor Size** D153 X 8mm
- Speeds** 6 Speed (Summer/Winter)
- Light** 1x GX53 LED bulb included, 12W, 3000K, 1100lm, 3-step-dimmable (SKU 121354)
- Operated by** 6 speed Remote Control
- Airflow** 267m³/min
- Motor Wattage Min./Max** 7W/41W
- Ceiling pitch (Deg)** 9
- Certification** CE by Waltek
- Sound Pressure Level db (A) H/M/L** 40/35/20

EXTENSION DOWN ROD


- 90CM ADJUSTABLE, ø26.5mm**
- 212931** Black
- 210544** White

FAN SPECS 21610849 / 21610949

- Fan Size** 183cm/72inch
- Fan Material** Metal
- Blade Material** Aluminium
- Motor Size** D153 X 16mm
- Speeds** 6 Speed (Summer/Winter)
- Light** Not included, adaptable with GX53 bulb (SKU 121354 / 121359)
- Operated by** 6 speed Remote Control
- Airflow** 286m³/min
- Motor Wattage Min./Max** 5W/55W
- Ceiling pitch (Deg)** 9
- Certification** CE by Waltek

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø26.5mm**
- 212931** Black
- 210544** White



LucciAR



SKU 210654
Antique White




SKU 210655
Oil Rubbed Bronze
With Dark Koa Blades

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material Metal+ABS
- Blade Material ABS
- Motor Size D153 X 25mm
- Speeds 6 Speed (Summer/Winter)
- Light 1 x GX53 LED bulb included
18W, 3000K, 1700lm, 3-step-dimmable (SKU 121357)
- Adaptable with SKU 121347,18W,3000K-4000K-5000K
color switch, 1980lm, sold separately
- Operated by Remote Control
- Airflow 160m³/min
- Motor Wattage Min./Max 6W/40W
- Ceiling pitch (Deg) 10
- Certification CE by Waltek

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210584 Antique White
- 210583 Oil Rubbed Bronze



LucciAR



BRONX



SKU 513073
White



SKU 513072
Chrome
With Black Blades

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material Metal
- Blade Material ABS Plastic
- Motor Size D153 X 15mm
- Speeds 6 Speed (Summer/Winter)
- Light 18W LED, CCT (3000K, 4000K, 6000K), Dimmable
18W, 1700lm, 3-step-dimmable
- Operated by Remote Control
- Airflow 160m³/min
- Motor Wattage Min./Max 6W/38W
- Ceiling pitch (Deg) 10
- Certification CE by Waltek

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø26.5mm
- 210544 White
- 210545 Brushed Chrome




LucciAR



CAROLINA



SKU 211021
Matte Black



SKU 211022 / 211017
Oil Rubbed Bronze
With Dark Koa Blades

FAN SPECS 211017

- Fan Size 142cm/56inch
- Fan Material Metal
- Blade Material ABS Plastic
- Motor Size D188 X 14mm
- Speeds 3 Speed
- Light N/A
- Operated by Wall Control (Remote Control optional)
- Airflow 235m³/min
- Motor Wattage Min./Max 13W/80W
- Ceiling pitch (Deg) 18
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 42/29/18

FAN SPECS 211021/211022

- Fan Size 178cm/70inch
- Fan Material Metal
- Blade Material ABS Plastic
- Motor Size D188 X 14mm
- Speeds 3 Speed (Summer/Winter)
- Light N/A
- Operated by Wall Control (Remote Control optional)
- Airflow 283m³/min
- Motor Wattage Min./Max 12W/85W
- Ceiling pitch (Deg) 18
- Certification CE by Waltek

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210559 Black
- 210583 Oil Rubbed Bronze



Wall control
included

LucciAR



SKU 21611749
Antique Nickel
With Teak Blades



SKU 21611649
Antique Bronze
With Walnut Blades

FAN SPECS

- Fan Size 70cm/28inch
- Fan Material Metal
- Blade Material Plywood
- Motor Size D54 X 24mm
- Speeds 6 Speed (Summer/Winter)
- Light 36W LED, 3000K/4000K/5000, Dimmable
- Operated by Remote Control
- Airflow 94m³/min
- Motor Wattage Min./Max 6W/30W
- Ceiling pitch (Deg) 18
- Certification CE by Waltek

- EXTENSION DOWN ROD
- 90CM ADJUSTABLE, ø21.5mm
- 210555 Brushed Chrome
- 210553 Antique Bronze



CLIMATE




SKU 210520
Brushed Chrome
With Silver Blades



SKU 510523
Black



SKU 210521
White



FAN SPECS

Fan Size 132cm/52inch
Fan Material Metal
Blade Material Plywood
Motor Size D125 X 30mm
Speeds 6 Speed
Operated by Remote Control (SKU 21052R)
Airflow 201m³/min
Motor Wattage Min./Max 3W/34W
Ceiling pitch (Deg) 20
Sound Pressure Level db (A) H/M/L 38/26/16

EXTENSION DOWN ROD

90CM ADJUSTABLE, ø21.5mm
210555 Brushed Chrome
210575 White
210559 Black

LIGHT-KIT

Climate CNC Fan light



210243
Black



210245
Brushed Chrome



210247
White

LIGHT-KIT

GEN3 Fan light 3-step-dimmable



21024949
White




21025049
Brushed Chrome



21025449
Black

LucciAIR





FAN SPECS

- Fan Size 127cm/50inch
- Fan Material Metal
- Blade Material ABS Plastic
- Motor Size D97 X 44mm
- Speeds 6 Speed (Summer/Winter)
- Operated by Remote Control (SKU 21052R)
- Airflow 172m³/min
- Motor Wattage Min./Max 3W/34W
- Ceiling pitch (Deg) 20
- Certification CE&GS by Intertek
- Sound Pressure Level db (A) H/M/L 32/20/16

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210555 Brushed Chrome
- 210541 Charcoal
- 210575 White

LIGHT-KIT (OPTIONAL)

Climate CNC Fan light



LIGHT-KIT (OPTIONAL)

GEN3 Fan light 3-step-dimmable



LucciAR



CLIMATE IV



SKU 21610349
White



SKU 21610449
Antique Nickel With Teak blades



SKU 21610549
Antique Brass With Walnut Blades



Optional bottom cap included

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material Die cast Aluminum
- Blade Material ABS Plastic
- Motor Size D90 X 16mm
- Speeds 6 Speed (Summer/Winter)
- Light 1 x GX53 LED bulb included, 128MM, 12W, 3000K, 1200lm, 3-step-dimmable (SKU 121363)
- Operated by Remote Control
- Airflow 162m3/min
- Motor Wattage Min./Max 3W/35W
- Ceiling pitch (Deg) 10
- Certification CE by Waltek
CB by CPC



EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210555 Brushed Chrome
- 210553 Antique Bronze

LucciAR



SKU 21615349
White



SKU 21615449
Black

FAN SPECS

- Fan Size 137cm/54inch
- Fan Material ABS Plastic
- Blade Material ABS Plastic
- Motor Size D153 X 8mm
- Speeds 6 Speed (Summer/Winter)
- Light N/A
- Operated by Remote Control
- Airflow 179m³/min
- Motor Wattage Min./Max 2W/32W
- Ceiling pitch (Deg) 10
- Certification CE by CPC

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210559 Black



LucciAR



SKU 210295
Bronze
With Latte Coloured Rattan Blades



SKU 510297
Antique White
With Antique White Rattan Blades



Wall control
included

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material Metal
- Blade Material Plastic
- Motor Size D172 X 18mm
- Speeds 3 Speed (Summer/Winter)
- Light N/A
- Operated by Wall Control (Remote Control optional)
- Airflow 194m³/min
- Motor Wattage Min./Max 12W/67W
- Ceiling pitch (Deg) 22
- Certification GS by TUV

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210562 Bronze
- 210584 Antique White



SKU 210662
Matte Black
With Matte Black/Teak Blades
(Reversible)



SKU 210661
Matte White
With White/White Washed Blades
(Reversible)



SKU 210663
Oil Rubbed Bronze
With Dark Koa/Oil Rubbed Bronze Blades
(Reversible)

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material Aluminum
- Blade Material Plywood
- Motor Size D90 X 19mm
- Speeds 6 Speed (Summer/Winter)
- Lights 1 x GX53 LED bulb included, 18W, 3000K, 1700lm, 3-step-dimmable (SKU121357)
- Adaptable with SKU 121347,18W,3000-4000-5000K color switch, 1980lm, sold separately
- Operated by Remote Control
- Airflow 187 m³/min
- Motor Wattage Min./Max 4.5W/30W
- Ceiling pitch (Deg) N/A
- Certification CE by Waltek



LucciAR

LucciAR

FRASER




SKU 210986
White
With White Washed Blades



SKU 210990
White
With White Blades



SKU 210987
Brushed Chrome
With Teak Blades



6 speed remote control included



FAN SPECS

Fan Size 132cm/52inch
Fan Material ABS
Blade Material Plywood
Motor Size D125 X 30mm
Speeds 6 Speed (Summer/Winter)
Operated by Remote Control (SKU 21052R)
Airflow 194m³/min
Motor Wattage Min./Max 3W/36W
Ceiling pitch (Deg) N/A
Extension down rod N/A
Certification CE&CB by Intertek
Sound Pressure Level db (A) H/M/L 37/26/17

LIGHT-KIT (OPTIONAL)

CNC Fan light



210245
Brushed Chrome



210247
White

LIGHT-KIT (OPTIONAL)

GEN3 Fan light kit 3-step-dimmable



21024949
White



21025049
Brushed Chrome





SKU 213357
White



SKU 21610049
White



SKU 213358
Black



SKU 21610149
Black



Optional bottom cap included

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material Material ABS
- Blade Material ABS
- Motor Size D107 X 15mm
- Speeds 6 Speed (Summer/Winter)
- Light 1x GX53, LED bulb included 152mm, 12W, 3000K, 1100lm, 3-step-dimmable (SKU 121354)
- Operated by Remote Control
- Airflow 194m³/min
- Motor Wattage Min./Max 2W/32W
- Ceiling pitch (Deg) 10
- Certification CE by Waltek

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210559 Black



LucciAR

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material ABS
- Blade Material ABS
- Motor Size D90 X 16mm
- Speeds 6 Speed (Summer/Winter)
- Light N/A
- Operated by Remote Control
- Airflow 162m³/min
- Motor Wattage Min./Max 3w/35w
- Ceiling pitch (Deg) N/A
- Certification CE by Waltek
CB by CPC



LucciAR



SKU 213175
Oil Rubbed Bronze
With Koa Blades



SKU 213176
White
With White Oak Blades

FAN SPECS

- Fan Size** 157cm/62inch
- Fan Material** Metal
- Blade Material** Plywood
- Motor Size** D153 X 16mm
- Speeds** 6 Speed (Summer/Winter)
- Light** 1 x GX53 LED bulb included, 18W, 3000K, 1700lm, 3-step-dimmable (SKU 121357)
- Adaptable** with SKU 121347,18W,3000-4000-5000K color switch, 1980lm, sold separately
- Operated by** Remote Control
- Airflow** 267m³/min
- Motor Wattage Min./Max** 6W/40W
- Ceiling pitch (Deg)** 7
- Certification** CE by Waltek

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø26.5mm**
- 212930** Oil Rubbed Bronze
- 210544** White



LucciAR





SKU 2161049
White




SKU 21616149
Black

FAN SPECS

- Fan Size 152cm/60inch
- Fan Material Aluminium
- Blade Material Aluminium
- Motor Size D153 X 8mm
- Speeds 6 Speed (Summer/Winter)
- Light N/A
- Operated by Remote Control
- Airflow 214m³/min
- Motor Wattage Min./Max 2W/35W
- Ceiling pitch (Deg) 0
- Certification CE by CPC

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210559 Black



LucciAR



MOONAH



SKU 212898
White



SKU 212899
Black



Optional bottom cap included

FAN SPECS

- Fan Size 122cm/48inch
- Fan Material ABS
- Blade Material ABS
- Motor Size D172 X 14mm
- Speeds 3 Speed (Summer/Winter)
- Light 1 x GX53 LED bulb included, 220MM, 21W, 3000K, 2000lm, 3-step-dimmable (SKU 121365)
- Operated by Remote Control
- Airflow 200m³/min
- Motor Wattage Min./Max 19W/72W
- Ceiling pitch (Deg) 18

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210559 Black



LucciAR

MOTO



SKU 210650
White

SKU 210651
Black


SKU 210653
Brushed Nickel
With Teak Blades

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material Metal
- Blade Material ABS
- Motor Size D90 X 16mm
- Speeds 6 Speed (Summer/Winter)
- Light N/A
- Operated by Remote Control
- Airflow 189m³/min
- Motor Wattage Min./Max 2W/25W
- Ceiling pitch (Deg) 11
- Certification CE by Waltek

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210559 Black
- 210555 Brushed Chrome



LucciAR





SKU 213353
White



SKU 213354
Black




SKU 213355
Brushed Nickel
With Teak Blades



Optional bottom cap included

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material ABS
- Blade Material ABS
- Motor Size D123 X 70mm
- Speeds 6 Speed (Summer/Winter)
- Light 1 x GX53 LED bulb included, 128MM, 12W, 3000K, 1200lm, 3-step-dimmable (SKU 121363)
- Operated by Remote Control
- Airflow 212m³/min
- Motor Wattage Min./Max 2W/30W
- Ceiling pitch (Deg) N/A
- Certification CE by Waltek



LucciAR

PEREGRINE



SKU 213280
White



SKU 213281
Black




Optional bottom cap included

- FAN SPECS**
- Fan Size 142cm/56inch
 - Fan Material Metal+ABS
 - Blade Material ABS
 - Motor Size D90 X 19mm
 - Speeds 6 Speed (Summer/Winter)
 - Light 1 x GX53 LED bulb included, 12W, 3000K, 1100lm, 3-step-dimmable (SKU121354)
 - Operated by Remote Control
 - Airflow 180m³/min
 - Motor Wattage Min./Max 1.3W/33.3W
 - Ceiling pitch (Deg) 13
 - Certification CE by Waltek

- EXTENSION DOWN ROD**
- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
 - 210559 Black

LucciAR





SKU 21616249
White




SKU 21616349
Black

FAN SPECS

- Fan Size 132cm/52inch
- Fan Material ABS Plastic
- Blade Material ABS Plastic
- Motor Size D90 x 19mm
- Speeds 6 Speed (Summer/Winter)
- Light N/A
- Operated by Remote Control
- Airflow 176m³/min'
- Motor Wattage Min./Max 3.8W/30W
- Ceiling pitch (Deg) 0
- Certification CE by CPC

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210559 Black



LucciAR



LIGHT-KIT (OPTIONAL)

Climate CNC Fan light



LIGHT-KIT (OPTIONAL)

GEN3 Fan light 3-step-dimmable



FAN SPECS

Fan Size 132cm/52inch, 106cm/42inch
Fan Material ABS
Blade Material Plywood
Motor Size D125 X 30mm
Speeds 6 Speed (Summer/Winter)
Operated by Remote Control (SKU 21052R)
Airflow 176m³/min for 52", 108m³/min for 42"
Motor Wattage Min./Max 3W/34W
Ceiling pitch (Deg) N/A
Extension rod N/A
Certification CE&CB by Intertek
Sound Pressure Level db (A) H/M/L 37/24/17



RIVIERA



SKU 213350
White



SKU 213351
Black



Optional bottom cap included



FAN SPECS

Fan Size 132cm/52inch
Fan Material ABS
Blade Material ABS
Motor Size D123 X 70mm
Speeds 6 Speed (Summer/Winter)
Light 1 x GX53 LED bulb included, 12W, 3000K, 1200lm, 3-step-dimmable (SKU 121363)
Operated by Remote Control
Airflow 204m³/min
Motor Wattage Min./Max 2W/31W
Ceiling pitch (Deg) N/A
Certification CE by Waltek

SLIPSTREAM



SKU 213302
White



SKU 213303
Black



Optional bottom cap included

FAN SPECS

Fan Size 107cm/42inch
Fan Material Material ABS
Blade Material ABS
Motor Size D130 X 8mm
Speeds 6 Speed (Summer/Winter)
Light 1 x GX53 LED bulb included, 12W, 3000K, 1100 lm, 3-step-dimmable (SKU 121354)
Operated by Remote Control
Airflow 135m³/min
Motor Wattage Min./Max 4W/25W
Ceiling pitch (Deg) 6
Certification CE by Waltek

EXTENSION DOWN ROD

90CM ADJUSTABLE, ø21.5mm
210575 White
210559 Black



LucciAR

LucciAR

SYROS



SKU 513071
White



LucciAR

FAN SPECS

- Fan Size 78cm/30inch
- Fan Material Metal
- Blade Material ABS Plastic
- Motor Size D153 X 10mm
- Speeds 6 Speed (Summer/Winter)
- Light 18W LED, CCT (3000K, 4000K, 6000K), 900lm, Dimmable
- Operated by Remote Control
- Airflow 105m³/min
- Motor Wattage Min./Max 3W/26W
- Ceiling pitch (Deg) 12
- Certification CE by Waltek

UNIONE



SKU 213300
Oil Rubbed Bronze
With Koa Blades

SKU 213301
Aged Nickel
With Koa Blades



LucciAR


FAN SPECS

- Fan Size 142cm/56inch
- Fan Material Steel+ABS
- Blade Material ABS
- Motor Size D130 X 8mm
- Speeds 6 Speed (Summer/Winter)
- Light 1 x GX53 LED bulb included, 12W, 3000K, 1100 lm, 3-step-dimmable (SKU 121354)
- Operated by Remote Control
- Airflow 186m³/min
- Motor Wattage Min./Max 4W/26W
- Ceiling pitch (Deg) 11
- Certification CE by Waltek

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 212919 Oil Rubbed Bronze
- 210555 Brushed Chrome


VECTOR



SKU 513075
White

FAN SPECS

Fan Size 122cm/48inch
Fan Material Metal
Blade Material Plywood
Motor Size D153 X 7mm
Speeds 6 Speed (Summer/Winter)
Light 18W LED, CCT (3000K, 4200K, 6500K), 1350lm, Dimmable
Operated by Remote Control
Airflow 105m³/min
Motor Wattage Min./Max 6W/33W
Ceiling pitch (Deg) 12
Certification CE by Waltek



EXTENSION DOWN ROD

90CM ADJUSTABLE, ø21.5mm
210575 White

LucciAR

WHITEHAVEN



SKU 213040
White



SKU 213044
Black



SKU 213041
Black



SKU 213043
White

FAN SPECS

Fan Size 142cm/56inch
Fan Material ABS Plastic
Blade Material ABS Plastic
Motor Size D126 X 16mm
Speeds 6 Speed (Summer/Winter)
Light 1 x GX53 LED bulb included, 18W, 3000K, 1700 lm, 3-step-dimmable (SKU 121357)
Adaptable with SKU 121347,18W,3000-4000-5000K color switch, 1980lm, sold separately
Operated by Remote Control
Airflow 200m³/min
Motor Wattage Min./Max 3W/29W
Ceiling pitch (Deg) 12
Certification CE by Waltek
Sound Pressure Level db (A) H/M/L 29/19/17

EXTENSION DOWN ROD

90CM ADJUSTABLE, ø21.5mm
210575 White
210559 Black



LucciAR



FANAWAY CLASSIC



SKU 212925
Oil Rubbed Bronze
With Dark Koa Blade



When closed

FAN SPECS

- Fan Size 121cm/48inch (fan sweep)
47.5cm/19inch (collapsed)
- Fan Material Metal
- Blade Material PC
- Motor Size D153 X 15mm
- Speeds 3 Speed (Summer/Winter)
- Light 3 x E27, LED filament bulbs included,
MAX. 4W, 2500K, 400 lm, Non-dimmable
- Operated by Remote Control (SKU 210012)
- Airflow 180³/min
- Motor Wattage Min./Max 15W/57W
- Ceiling pitch (Deg) 15
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 27/21/20

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø26.5mm
- 212930 Oil Rubbed Bronze



FANAWAY CORBELLE



SKU 212928
Antique Black
With Smoke Blades



SKU 212929
Chrome
With Clear Blades




When closed

FAN SPECS

- Fan Size 121cm/48inch (fan sweep)
47.5cm/19inch (collapsed)
- Fan Material Metal
- Blade Material PC
- Motor Size D153 X 15mm
- Speeds 3 Speed (Summer/Winter)
- Light 3 x E27, LED filament bulbs included,
MAX. 4W, 2500K, 400 lm, Non-dimmable
- Operated by Remote Control (SKU 210012)
- Airflow 180m³/min
- Motor Wattage Min./Max 15W/57W
- Ceiling pitch (Deg) 15
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 27/21/20

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø26.5mm
- 212931 Antique Black
- 210546 Chrome





FANAWAY EVO 1 LED



SKU 211035
White
With Clear Blades



SKU 211036
Brushed Chrome
With Clear Blades



When closed

FAN SPECS

Fan Size 121cm/48inch (fan sweep)
47.5cm/19inch (collapsed)
Fan Material Metal
Blade Material PC
Motor Size D153 X 15mm
Speeds 3 Speed (Summer/Winter)
Light 1 x Integrated LED Included, MAX. 40W,
3000K, 4000K, 5000K, 2200 lm, Dimmable
Operated by Remote Control
Airflow 180³/min
Motor Wattage Min./Max 15W/56W
Ceiling pitch (Deg) 15
Certification CE&GS by TUV
Sound Pressure Level db (A) H/M/L 27/21/20

EXTENSION DOWN ROD

90CM ADJUSTABLE, ø26.5mm
210544 White
210545 Brushed Chrome



FANAWAY EVO2



SKU 210930
White
With Clear Blades




SKU 210931
Brushed Chrome
With Clear Blades



When closed



SKU 210931
Brushed Chrome
With Clear Blades



FAN SPECS

- Fan Size 121cm/48inch (fan sweep)
47.5cm/19inch (collapsed)
- Fan Material Metal
- Blade Material PC
- Motor Size D153 X 15mm
- Speeds 3 Speed (Summer/Winter)
- Light 3x E27 MAX. 20W Bulb not Included
- Operated by Remote Control
- Airflow 180m³/min
- Motor Wattage Min./Max 14W/56W
- Ceiling pitch (Deg) 15
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 27/21/20

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø26.5mm
- 210544 White
- 210545 Brushed Chrome





FANAWAY FRASER



SKU 511030
White
With Clear Blades




When closed

FAN SPECS

- Fan Size 121cm/48inch (fan sweep)
47.5cm/19inch (collapsed)
- Fan Material Metal
- Blade Material PC
- Motor Size D153 X 15mm
- Speeds 3 Speed
- Light 3x E27 MAX. 20W Bulb not included
- Operated by Remote Control (SKU 210012)
- Airflow 180³/min
- Motor Wattage Min./Max 15W/57W
- Ceiling pitch (Deg) 15
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 27/21/20

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø26.5mm
- 210544 White





SKU 212920
Matt Black
With Smoke Blades



SKU 212921
Oil Rubbed Bronze
With Dark Koa Blades



When closed

FAN SPECS

Fan Size 121cm/48inch (fan sweep)
47.5cm/19inch (collapsed)
Fan Material Metal
Blade Material PC
Motor Size D153 X 15mm
Speeds 3 Speed (Summer/Winter)
Light 3x E27, LED filament bulbs included,
MAX. 4W, 2500K, 380 lm, Non-dimmable
Operated by Remote Control (SKU 210012)
Airflow 180m³/min
Motor Wattage Min./Max 15W/56W
Ceiling pitch (Deg) 15
Certification CE by Waltek
Sound Pressure Level db (A) H/M/L 27/21/20

EXTENSION DOWN ROD

90CM ADJUSTABLE, ø26.5mm
212931 Antique Black
212930 Oil Rubbed Bronze





FANAWAY MONTCLAIR



SKU 511061
Black (Koa Trim)
With Smoke Blades




When closed

FAN SPECS

Fan Size 121cm/48inch (fan sweep)
47.5cm/19inch (collapsed)
Fan Material Metal
Blade Material PC
Motor Size D153 X 15mm
Speeds 3 Speed
Light 3x E27, LED filament bulbs included,
MAX. 4W, 2500K, 400 lm, Non-dimmable
Operated by Remote Control (SKU 210012)
Airflow 180³/min
Motor Wattage Min./Max 15W/54W
Ceiling pitch (Deg) 15
Certification CE by Waltek
Sound Pressure Level db (A) H/M/L 27/21/20

EXTENSION DOWN ROD

90CM ADJUSTABLE, ø26.5mm
212931 Antique Black



FANAWAY ORBIT



SKU 210664
Matte White
With White Washed Painted Blades





When closed



SKU 210665
Matte Black
With Painted Matte Black Blades



When closed



FAN SPECS

- Fan Size** 91.5cm/36inch (fan sweep)
41.5cm/16.3inch (collapsed)
- Fan Material** Metal
- Blade Material** PC
- Motor Size** D153 X 12mm
- Speeds** 6 Speed (Summer/Winter)
- Light** Replaceable LED light kit included, MAX. 25W
2000LM, 3000K, 3-step-dimmable
- Operated by** Remote Control
- Airflow** 118.5m³/min
- Motor Wattage Min./Max** 5W/19W
- Ceiling pitch (Deg)** N/A
- Certification** CE by Waltek





FANAWAY VEIL



SKU 212922
Antique Black
With Smoke Blades



SKU 212923
Chrome
With Clear Blades



When closed

FAN SPECS

- Fan Size 121cm/48inch (fan sweep)
47.5cm/19inch (collapsed)
- Fan Material Metal
- Blade Material PC
- Motor Size D153 X 15mm
- Speeds 3 Speed (Summer/Winter)
- Light 6x E14 LED bulbs included,
MAX. 4.5W, 2700K, 470 lm, Non-dimmable
- Operated by Remote Control (SKU 210012)
- Airflow 180³/min
- Motor Wattage Min./Max 16W/56W
- Ceiling pitch (Deg) 15
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 27/21/20

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø26.5mm
- 212931 Antique Black
- 210546 Chrome





FAN SPECS 213015 / 213017

- Fan Size 122cm/48inch
- Fan Material ABS Plastic
- Blade Material ABS Plastic
- Motor Size D153 X 12mm
- Speeds 6 Speed (Summer/Winter)
- Light N/A
- Operated by Wall Control (Remote Control optional)
- Airflow 150m³/min
- Motor Wattage Min./Max 11W/39W
- Ceiling pitch (Deg) 18
- Sound Pressure Level db (A) H/M/L 34/25/18

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210559 Black





SKU 213034-01
White



SKU 213035-01
Black



SKU 213036
White
With White Blades

FAN SPECS 213036

Fan Size 132cm/52inch
Fan Material ABS Plastic
Blade Material ABS Plastic
Motor Size D155 X 12mm
Speeds 3 Speed (Summer/Winter)
Light 1x GX53 LED bulb included, 18W, 3000K, 1700lm, 3-step-dimmable (SKU 121357)
Adaptable with SKU 121347,18W,3000-4000-5000K color switch, 1980lm, sold separately
Operated by Remote Control
Airflow 160m³/min
Motor Wattage 55W
Certification CE by Waltek
Sound Pressure Level db (A) H/M/L 31/21/16 CTC 36/25/16

FAN SPECS 213034-01, 213034-05

Fan Size 132cm/52inch
Fan Material ABS Plastic
Blade Material ABS Plastic
Motor Size D155 X 12mm
Speeds 3 Speed (Summer/Winter)
Operated by Wall Control (Remote Control optional)
Airflow 160m³/min
Motor Wattage 55W
Ceiling pitch (Deg) 0 / 14 (models with down rod)
Certification CE by Waltek
Sound Pressure Level db (A) H/M/L 31/21/16 CTC 36/25/16





MEGARA



SKU 531018
Black



SKU 531017
Titanium



SKU 531016
White

FAN SPECS

- Fan Size 122cm/48inch
- Fan Material ABS Plastic
- Blade Material ABS Plastic
- Motor Size D153 X 12mm
- Speeds 3 Speed (Summer/Winter)
- Light 2 x E14 LED, MAX. 15W, Bulb not included
- Operated by Remote Control
- Airflow 150m³/min
- Motor Wattage Min./Max 13W/40W
- Ceiling pitch (Deg) 18
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 33/24/17

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White
- 210559 Black



NAUTILUS



SKU 213025
White



Wall control
included



FAN SPECS

- Fan Size 132cm/52inch
- Fan Material Aluminium
- Blade Material Aluminium
- Motor Size D188 X 20mm
- Speeds 3 Speed (Summer/Winter)
- Light N/A
- Operated by Wall Control (Remote Control optional)
- Airflow 207m³/min
- Motor Wattage 19W/73W
- Ceiling pitch (Deg) 13
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 42/22/16

EXTENSION DOWN ROD

- 90CM ADJUSTABLE, ø21.5mm
- 210575 White






LUCCI CONNECT WIFI REMOTE



Lucci Connect allows you to control your Smart Lighting setup like never before. This Smart Fan Remote will allow you to control your AC fan with the remote and from your phone. Set up and control is simple with the easy to use Lucci Connect app. Combine with a smart home hub to enable voice control access and immerse yourself in the ultimate smart home experience. Get connected with the Lucci Connect smart lighting range.



SKU 299041
White

SPECS

Dimensions 42 x 12 x 110 mm

Speed Low / Medium / High

Light on/off

Certification CE by Waltek

Only compatible with Lucci air, Bayside and Fanaway AC fan,
PWM/DC remote fan not compatible

Lucci AIR

LUCCI TOUCH FAN REMOTE



SKU 210667
White



SKU 210675
Black

SPECS

Dimensions 28 x 125 x 80 mm
Speed Low / Medium / High
Timer 2 / 4 / 8 hrs
Light on/off

Only compatible with Lucci air, Bayside and Fanaway AC fan,
PWM/DC remote fan not compatible

LucciAIR



CNC/Akmani light kits work with the following SKUs:
- SKU 121340
- SKU 121341
- SKU 121342
- SKU 121343

SKU 121340
4.5W
470LM
3000K
75MMø

SKU 121341
4.5W
470LM
4000K
75MMø

SKU 121342
9W
850LM
3000K
75MMø

SKU 121343
9W
850LM
4000K
75MMø

SKU 120894
18W
180LM at 2700K (Sleep)
1750LM at 2700K (Night)
1900LM at 4000K (Day)
200MMø

SKU 121363
12W
1100LM
3000K
128MMø
3 Step Dimmable
15%-50%-100%

SKU 121364
12W
1100LM
4000K
128MMø
3 Step Dimmable
15%-50%-100%

SKU 121354
12W
1000LM
3000K
152MMø
3 Step Dimmable
15%-50%-100%

SKU 121359
12W
1000LM
4000K
152MMø
3 Step Dimmable
15%-50%-100%

SKU 121347
18W
1980LM
3000-4000-5000K
Colour Switch
200MMø

SKU 121357
18W
1700LM
3000K
200MMø
3 Step Dimmable
15%-50%-100%

SKU 121358
18W
1700LM
4000K
200MMø
3 Step Dimmable
15%-50%-100%

SKU 121365
21W
2000LM
3000K
220MMø
3 Step Dimmable
15%-50%-100%

SKU 121366
21W
2000LM
4000K
220MMø
3 Step Dimmable
15%-50%-100%

LIGHT KITS

CNC	 SKU210245 Brushed Chrome	 SKU210247 White	 SKU210244 Oil Rubbed Bronze	 SKU210243 Black	 SKU210248 Charcoal
GEN3	 SKU21024949 White	 SKU21025049 Brushed Chrome	 SKU21025249 Oil Rubbed Bronze	 SKU21025349 Charcoal	 SKU21025449 Black
AKMANI	 SKU510506 Brushed Chrome	 SKU510507 Oil Rubbed Bronze	 SKU510508 Black		

BREEZE TABLE FAN

BREEZE FLOOR FAN



SKU 213121EU
Oil Rubbed Bronze



SKU213122EU
Black



SKU 213120EU
Black



213123EU
Oil Rubbed Bronze

FAN SPECS

Fan Size 20cm/8inch
Fan Material Steel+Wood
Blade Material ABS Plastic
Motor Size 48mm
Speeds 2 Speed
Operated by Switch on fan
Airflow 15m³/min
Motor Wattage Min./Max 26W/30W
Certificate CE by Waltek
Sound Pressure Level db(A) H/L 42/38

FAN SPECS

Fan Size 46cm/18inch
Fan Material Steel+Wood
Blade Material ABS Plastic
Motor Size 100mm
Speeds 3 Speed
Operated by Switch on fan
Airflow 64m³/min
Motor Wattage Min./Max 49W/58W
Certificate CE by Waltek
Sound Pressure Level db (A) H/M/L 53/48/42

LucciAIR



LucciAIR

BREEZE PEDESTAL FAN



SKU 213116EU
Oil Rubbed Bronze



SKU 213117EU
Brushed Chrome



SKU 213115EU
Black



SKU 213114EU
White

FAN SPECS

- Fan Size 46cm/18inch
- 150 cm Maximum/103cm Minimum Extendable Height
- Fan Material Steel
- Blade Material ABS
- Motor Size 10cm
- Speeds 3 Speed, Multiangle and OSC
- Operated by Switch on fan
- Airflow 59m³/min
- Motor Wattage Min./Max 45W/51W
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 53/50/46

Lucci AR





BREEZE WALL FAN



SKU 213124EU
Black



SKU 213125EU
Oil Rubbed Bronze



SKU 213128EU
White



SKU 213126EU
Brushed Chrome

FAN SPECS

- Fan Size 46cm/18inch
- Fan Material Steel
- Blade Material ABS Plastic
- Motor Size 100mm
- Speeds 3 Speed, Multiangle, OSC,
- Timer 1h - 7h
- Operated by Control on Fan & Remote
- Airflow 64m³/min
- Motor Wattage Min./Max 45W/52W
- Certification CE by Waltek
- Sound Pressure Level db (A) H/M/L 60/56/52



LucciAR



SKU 08920049
White



SKU 08920149
Black

PRODUCT SPECS

Dimensions Dia 448mm H170mm
Weight 4.6kg
Material ABS Plastic & Metal
IP Rating IP20
Insulation Class I
Voltage 220-240V~50Hz
Wattage Fan 16w / Ioniser 1w / Lamp 18w
Control IR Remote
Modes High/Medium/Low/Burst/Sleep
Timers 1h/4h/8h
Decibels H/M/L 63/59/36
RPM H/M/L 1532/1318/650
CADR (Clean Air Delivery Rate) Max 100m³/h
Filter Replaceable HEPA 13
Optimum Room Size 12m²

LAMP SPECS

Lamp Included LED Day Night Sleep GX53 (SKU 120894)
Sleep 2700k Warm White 350lm
Night 2700k Warm White 1700lm
Day 4000k Cool White 1800lm
Dimmable No
CRI >80
Size 200mm



Sanso EvOne is an innovative, patented 3-in-1 air purifier, ioniser and multi-functional light.

A single product that circulates and purifies the air you breathe, reducing the risk of Asthma and allergies while also providing an adaptable light that helps maintain a healthy circadian rhythm.

Not to mention, Sanso EvOne does all this without cluttering any floor space!

HEPA FILTER

IONISER

3-SPEED FAN

QUIET OPERATION

LIGHT

REMOTE CONTROL

BURST

SLEEP

TIMER

SENSOR

Lighting that matches your daily routine

Live and feel better every day, with Sanso's innovative, Live Well Multi-functional health light.

Supports your natural sleepwake cycle

Controlled blue light

Easy control

Reduced flicker

Easy on the eyes

High CRI for truer colours



VOLUME AIR PURIFIER H13



SKU 213081



213084 VOLUME AIR PURIFIER H13
FILTER FOR 213081



FAN SPECS

- Size** 195 X 195 X 388mm
- Colour** White with black detail
- Modes** High/Medium/Sleep
- Rated voltage** 100-240V~, 50/60Hz
- Rated wattage** 23W
- Max. Airflow/CADR** 130m3/h
- Coverage Area** ≤ 16m2
- Filter type** Replaceable H13 HEPA ALL IN ONE
(Included / replaced filter sold separately)
- Filter life** 2200 hours
- Noise level** < 50 dB on high
- Timer** 2/4/8 hours
- Night Light** N/A
- Child Lock** N/A
- Insulation class** Class II (Power adaptor included)
- Plug & Play** Yes
- IP rating** IP20
- Certification** CE by Waltek

LucciaR

MAXI AIR PURIFIER H13



SKU 213082

FAN SPECS

- Size 270 X 303 X 497mm
- Colour White with black detail
- Modes High/Medium/Sleep with air quality sensor
- Rated voltage 220-240V~, 50/60Hz
- Rated wattage 50W
- Max. Airflow/CADR 400m3/h
- Coverage Area ≤ 50m2
- Filter type Replaceable H13 HEPA ALL IN ONE
(Included / replaced filter sold separately)
- Filter life 2200 hours
- Noise level < 50 dB on high
- Timer 2/4/8 hours
- Night Light Yes
- Child Lock Yes
- Insulation class Class II
- Plug & Play Yes
- IP rating IP20
- Certification CE by Waltek



213085 MAXI AIR PURIFIER H13 FILTER
FOR 213082

LucciAIR



SPECIFICATIONS

Product Name	Brand	Current	Blade Pitch (Deg)	IP Rating	Poles	RPM(h/m/l)	Ceiling to bottom of blade (cm)	Ceiling to bottom of switch housing (cm)	Ceiling to bottom of canopy(cm)	Width of motor housing (cm)	Width of Canopy (cm)	Ceiling to bottom of light (cm)	Net Weight (kg)	Gros Weight (kg)	Box dimensions (mm)
AKMANI	Lucci Air	DC	Variable	INDOOR	12	178/149/125/95/71/41	30	N/A	5.4	17.7	13.1	33	5.95	7.85	775*320*220
ARIA	Lucci Air	AC	11	COASTAL	16	245/210/148	29	30.5	30.5	14.4	13.6	30.5	4.9	5.7	582*244*263
ARIA CTC	Lucci Air	AC	11	COASTAL	16	247/213/153	19	21	16.4	20.6	20.6	21	4.95	5.75	594*234*258
ARIA CTC LED	Lucci Air	AC	11	COASTAL	16	244/193/155	21	23.5	16.4	20.6	20.6	23.5	5.6	6.4	594*234*258
ARIA LED	Lucci Air	AC	11	COASTAL	16	245/210/148	30.5	33	33	14.4	13.6	33	5.5	6.3	582*244*263
ARRAY	Lucci Air	DC	Variable	N/A	12	208/175/153/126/104/85	21	23	23	9	13	23	4.2	6	685*235*225
ATLANTA LED	Lucci Air	DC	13	COASTAL	12	181/162/154/136/117/90	31	35	5.1	18.1	14	35	6.8	7.4	689*219*255
ATLANTA II	Lucci Air	DC	11	ALFRESCO	12	N/A	31	35	5.1	18.1	14	35	9	11.8	928*263*255
BALI LED	Lucci Air	DC	19	ALFRESCO	9	149/132/124/110/97/75	36	36	5.8	22.3	15	37.5	11.1	13.5	583*503*240
BRONX	Lucci Air	DC	30	IP20	8	250/220/190/160/140/100	21.5	N/A	12	22	15	26.5	5.35	6.4	720*430*265
CAROLINA	Lucci Air	AC	Variable	ALFRESCO	16	211/163/92	28	34.5	52.5	22.2	13.1	34.5	7.3	8.1	630*290*330
CAROLINA XL	Lucci Air	AC	Variable	ALFRESCO	16	171/111/64	28	34.5	52.5	22.2	13.1	34.5	7.7	8.5	810*285*327
CESSNA	Lucci Air	DC	20	N/A	12	458/420/374/338/297/260	34.5	32.5	32.5	12	15	34.5	4.2	8.7	768*768*225
CLIMATE I	Lucci Air	DC	14	INDOOR	12	205/174/143/112/81/50	33	N/A	5.5	15.3	13	33	5.2	6.6	610*230*250
CLIMATE II	Lucci Air	DC	Variable	INDOOR	12	179/150/125/100/75/50	33	N/A	5.5	15.3	13	33	5.9	7.5	612*237*252
CLIMATE IV	Lucci Air	DC	Variable	N/A	12	178/152/136/120/100/76	26.5	31.5	31.5	9	14	31.5	4.4	5.8	675*215*207
CONDOR	Lucci Air	DC	10	N/A	12	221/187/153/118/84/50	27	28.5	28.5	12.8	14.5	28.5	3.9	5.8	732*262*236
FIJIAN II	Lucci Air	AC	12	ALFRESCO	16	217/139/81	31	N/A	6.2	22.5	15	37	9.8	11	600*360*300
FLUSSO LED	Lucci Air	DC	11	INDOOR	9	214/195/179/146/116/94	23	23	17	15.26	15.3	33	5	7.2	673*353*220
FRASER CTC	Lucci Air	DC	Variable	INDOOR	12	180/154/128/102/76/50	33	33	5.5	16	14	33	5.5	6	615*240*250
LINE LED	Lucci Air	DC	Variable	COASTAL	9	140/121/101/84/66/50	35.5	36.5	5.5	13.8	14.2	36.5	4.4	6.71	962*347*321
LONDO	Lucci Air	DC	Variable	N/A	12	166/142/127/104/91/59	24	24	24	9	10.7	24	4	6.1	675*355*177
LOUISVILLE LED	Lucci Air	DC	Variable	COASTAL	12	176/153/147/129/114/90	32	37	5.1	15.3	14	37	8.3	9.3	688*319*271
MONZA	Lucci Air	DC	5	IP55	16	160/138/116/94/72/50	31	31	31	18.5	15.2	31	5.8	7.6	713*313*170
MOONAH GX53	Lucci Air	AC	Variable	COASTAL	16	247/178 /116	28.5	31.5	5.6	24.5	15.5	34	5.8	6.5	590*280*290
MOTO	Lucci Air	DC	10.5	ALFRESCO	9	199/165/136/107/77/50	28	28	5	6	14.6	28	3.7	5.3	693*233*215
NAUTICA LED	Lucci Air	DC	Variable	COASTAL	9	165/143/120/95/72/48	30	28.5	17.4	15.3	15.3	30	6.1	9.12	962*347*321
PEREGRINE LED	Lucci Air	DC	11	COASTAL	12	194/161/133/105/78/50	27	27	5.5	16	14.2	38.5	4.48	6.38	880*265*270
POLIS	Lucci Air	DC	13.5	IP55	8	196/170/140/109/80/50	33.5	33.5	33.5	14.3	15.3	33.5	4.2	8.7	768*768*225
RADAR CTC	Lucci Air	DC	/	INDOOR	12	208/174/143/112/81/50	19	/	/	168	/	/	4.5	5.27	610*235*260
RIVIERA LED	Lucci Air	DC	Variable	COASTAL	9	172/149/124/99/75/50	27	28.5	17.4	15.3	15.3	30	6.1	8.11	962*347*321

SPECIFICATIONS

SLIPSTREAM LED	Lucci Air	DC	14	ALFRESCO	12	254/228/194/166/136/111	32	33	5.1	20.15	13.8	35.5	4.96	6	620*245*263
SYROS	Lucci Air	DC	17	IP20	16	180/150/130/110/90/80	24.5	N/A	6	21.5	15	35.5	3.2	5	660*370*310
UNIONE LED	Lucci Air	DC	14.4	ALFRESCO	12	209/196/170/143/116/90	33	33.5	5	24	15	33.5	5.94	9.4	735*355*268
VECTOR	Lucci Air	DC	12.5	IP20	16	230/ 200/ 170/140/100/ 80	33.5	N/A	5.8	22	15	43.5	4.8	6	630*350*310
WHITEHAVEN	Lucci Air	DC	12	COASTAL	12	169/144/125/100/77/50	27	30	5.5	18.8	14.2	30	4.4	6.24	708*285*290
WHITEHAVEN LED	Lucci Air	DC	12	COASTAL	12	169/144/125/100/77/50	30	33	5.5	18.8	14.2	33	4.8	6.6	708*285*290
EVO 1 LED	Fanaway	AC	Variable	INDOOR	16	230/175/130	31.5	N/A	10.2	30	15	42	11.8	14	560*560*345
EVO 2	Fanaway	AC	Variable	INDOOR	16	228/172/133	27	N/A	5.5	30	13	40	10.8	12.7	525*525*345
FRASER	Fanaway	AC	Variable	INDOOR	12	254/197/143	28	40	5.5	22	13	40	10.1	12.2	560*560*342
INDUSTRI	Fanaway	AC	Variable	INDOOR	16	246/190/136	27	/	5.5	22	13	50	10.85	12.9	566*566*447
MONTCLAIR	Fanaway	AC	Variable	INDOOR	12	234/165/122	28	45	5.5	22	13	45	12.1	14.2	566*566*447
ORBIT LED	Fanaway	DC	Variable	INDOOR	9	300/278/255/223/200/180	19.5	19.5	11.8	19.6	15	28.5	7.9	11	473*473*372
VEIL	Fanaway	AC	Variable	INDOOR	16	255/195/141	27	/	5.5	14.4	13	50	15.7	17.75	560*560*442
CALYPSO	Bayside	AC	8.5	COASTAL	16	244/176/12	30	N/A	5.6	18	15.5	31	4	4.6	575*240*220
LAGOON CTC	Bayside	AC	10	COASTAL	16	215/146/93	17	20.5	11.5	20.6	14.9	20.5	4.7	5.5	640*245*270
LAGOON CTC LED	Bayside	AC	10	COASTAL	16	215/146/93	17	26.5	11.5	20.6	14.9	26.5	5.2	6.1	640*245*270
MEGARA	Bayside	AC	N/A	COASTAL	16	234/157/105	27	N/A	5.7	18	15.5	41.5	4.5	5.2	575*240*220
NAUTILUS	Bayside	AC	12.5	Coastal IP55	16	260/157/100	27	N/A	6.5	25.6	13.5	35.5	8.3	9.2	585*280*320
BREEZE PEDESTAL	Lucci Air	AC	17	INDOOR	16	1250/1100/950	/	/	/	/	/	/	8.3	9.9	590*480*335
BREEZE TABLE	Lucci Air	AC	17	INDOOR	9	1300/1100	/	/	/	/	/	/	2	2.5	290*205*315
BREEZE FLOOR	Lucci Air	AC	17	INDOOR	16	1250/1100/950	/	/	/	/	/	/	4.1	4.9	480*205*490
BREEZE WALL	Lucci Air	AC	17	INDOOR	16	1250/1100/950	/	/	/	/	/	/	4.5	6.1	480*480*380
SANSO	Lucci Air	DC	Variable	N/A	N/A	N/A	17	17	17	N/A	44.8	17	5	7.2	565*565*294

BEACON INTERNATIONAL DIVISIONS

Beacon International Ltd

Hong Kong Head Office:

Room 05, 18/F, Kimberland Center, 55 Wing Hong Street, Cheung Sha Wan
Kowloon, Hong Kong

Tel +852 34915904 Fax +852 34915917

info@beaconinternational.com

www.beaconinternational.com

Beacon Lighting Solutions (Zhongshan) Co. Ltd

China showroom / Office:

11/FI, Guzhen Lighting Building B, Mid Zhongxing Road, Guzhen, Zhongshan,
GuangDong, China

Tel: +86 760 8986 6388 Fax: +86 760 8986 6380

Beacon Lighting Europe GmbH

Campus Fichtenhain 42, 47807 Krefeld, Germany

Tel +49 (2151) 325 82 39 Fax +49 (2151) 325 70 65

sales@beaconlighting.eu

www.beaconlighting.eu

Beacon Lighting America Inc.

501 W Broadway, Suite 800, San Diego, California, 92101, United States

Tel +1 (949) 800-8488 Fax +1 (949) 409-8686

sales@beaconlighting.us

www.beaconlighting.us

www.beacontinternational.com
www.beaconlighting-europe.com

The logo for Beacon International, featuring the word "Beacon" in a large, elegant, white script font, with the word "INTERNATIONAL" in a smaller, white, all-caps sans-serif font directly beneath it. The logo is set against a dark blue rectangular background.The logo for Beacon Lighting, featuring the word "Beacon" in a large, elegant, white script font, with the word "LIGHTING" in a smaller, white, all-caps sans-serif font directly beneath it. The logo is set against a yellow rectangular background.